

GRODAN, A., MUDr.

Notes on unusual complications of head injuries. Cesk. neur. 21 no.6:
404-408 Nov 58.

1. Z chir. klin. LFUK v Kosiciach, prednosta prof. MUDr. J. Knazovicky.
(HEAD, wds. & inj.
unusual compl. (Cz))

GRODAN, A., asist. chir. klin. KU v Kosiciach

Epidermoid of the spinal cord. Rozhl. chir. 38 no.11:774-781
Nov 59.

1. Neurochir. odd. Ustr voj. nem. v Prahe, prednosta doc MUDr.
Zd. Kunc.

(CARCINOMA EPIDERMOID, surg.)
(SPINAL CORD, neopl.)

5 "CERITA MEDICA Sec 8 Vol 12/11 Neurology Nov 59

5613. LATE SEQUELAE OF CLOSED CEREBROCRANIAL INJURIES AFFECT-
ING THE VISUAL SYSTEM - Neskore následky zatvorených mozgových
ných ťrazov na zrakový systém - Grodan A. and Šimig I. Chir. Klin.
Lek. Fak. Univ. Komenského, Košice.; Očnéj Klin. Lek. Fak. Univ. Komens-
kého, Košice. - BRATISL. LEK. LISTY 1959, 39(I)/2 (65-77) Graphs 5
Tables 3

The condition of the optic analyser apparatus was examined in 478 patients with
closed cerebrocranial injuries. The field of vision was pathological in 35.56% of
814 cases examined some considerable time after the accident. Colour perimetric
findings were pathological in 37.4% of 482 cases tested. Klaus - Olomouc (VIII, 12)

GRODAN, A.; LUKAN, I.

Late auditory and vestibular disorders following closed cerebro-
cranial injuries. Vop.neirokhir. 24 no.4:24-28 Je-Ag '60.
(MIRA 13:12)

(BRAIN--WOUNDS AND INJURIES)
(VESTIBULAR APPARATUS) (DEAFNESS)

KUNSTADT, E.; GRODAN, A.

Recent trends in the treatment of malignant cerebral tumors by the intra-cavitary application of cobalt pearls. Cesk. rentgenol. 16 no.2: 86-91 Ap '62.

1. Radiologicka klinika Lekarskej fakulty University P. J. Safarika v Kosiciach, prednosta doc. MUDr. E. Kunstadt Chirurgicka klinika Lekarskej fakulty University P. J. Safarika v Kosiciach, prednosta prof MUDr. J. Knazovicky.

(BRAIN NEOPLASMS radiother)
(COBALT radioactive)

CZECHOSLOVAKIA

A. HROBÁK and J. HUBČEK, Surgical Clinic and Pediatric Clinic of Medical Faculty of P.J. Šafáryk University (Chirurgická klinika a psychiatrická klinika lékařské fakulty UPIS [University P. J. Šafáryk] Košice).

"Psychic Disturbances Following Closed Craniocerebral Trauma."

Prague, Czechoslovenska Psychiatrie, Vol 59, No 1, Jan 63; pp 1-11.

Abstract [English summary modified]: Statistical data and results on 200 patients with various types of closed head injury or, 522 of them, with various psychic disturbances, most frequent being memory lapses (173) and sleep disorders -- insomnia (147). Data from 140 returned questionnaires are also tabulated, listing mental-emotional complaints after accidents. In most, intellectual functions and moods were affected to varying degrees depending on age, location and severity of injury and other factors. Five diagrams, 5 Soviet, 4 Czech, 1 Hungarian and 12 Western references.

171

GRODAN, A.

On the problem of vascular abnormalities in the area of the
vena cerebra magna (galeni). Bratisl. lek. listy 43 Pt. 2
no.8:480-486 '63.

1. Chirurgická klinika Lek. fak. University P.J. Safarika v
Košiciach, veduci prof. MUDr. J. Knažovický.
(CEREBROVASCULAR DISORDERS) (ABNORMALITIES)
(DIAGNOSIS, DIFFERENTIAL) (FISTULA, ARTERIOVENOUS)

Immunology

POLAND

GRODECKA, B., and SCHILLER, B., of the "Biomed" Central Serum and Vaccine Laboratory (Centralne Laboratorium Surowic i Szczepionek "Biomed"), Warsaw. Prof. Dr. K. Zakrzewski, Head.

"Determination of the O Antigen in Typhoid Vaccines by Means of the Metachromatic Reaction"

"Warsaw, Medycyna Doswiadczalna i Mikrobiologia, Vol 23, No 3, 1966, pp 237-245.

Abstract (Authors' English summary modified): A spectrophotometric method is described for quantitative determination of O antigen in typhoid vaccines. It is based on the metachromatic properties of the antigen, which forms a metachromatic complex with toluidine blue in high ionic strength solutions. Optical density is measured in metachromatic maximum absorption band and in the peak of the free dye. The ratio of the two densities is plotted against the O antigen concentration, and the amount of antigen that binds the dye completely is determined. The method was used for determining the O antigen contents in 4 typhoid vaccines employed in field trials, and the results compared with those of serological determination. Contains 3 Tables, 2 Figures and 34 references. (5 Polish, 8 Western and 1 German-language).

GRODECKA, Jadwiga

Studies on reactions of children with tuberculosis related to their admission into a sanatorium. *Pediat.polska* 35 no.9:1137-1146 S '60.

1. Z Działu Metodyczno-Organizacyjnego Instytutu Gruzlicy Dyrektor
Instytutu: prof. dr med. W.Jaroszewicz
(TUBERCULOSIS in inf & child)
(CHILD PSYCHOLOGY)

GRODECKA, Jadwiga

Current knowledge on tuberculosis in subjects from different social strata (according to a survey made in 1958). Gruzlica 29 no.9:797-804 S '61.

1. Z Działu Metodyczno-Organizacyjnego Instytutu Gruźlicy Kierownik: doc. dr med. O. Buraczewski Dyrektor Instytutu Gruźlicy: prof. dr med. W. Jaroszewicz.

(TUBERCULOSIS sociol)

ORODECKA, Urszula; OSINSKA Maria

Anti-Rh (c) antibodies as a result of blood transfusion and hetero-
groun pregnancy. Arch. immun. ter. dosw. 4:10-18 1956.

1. II Klinika Poloznictwa i Chorob Kobietych Akademii Medycznej we
Wroclawiu (Kierownik: prof. dr K. Jablonski) Instytut Immunologii
i Terapii Doswiadczalnej PAN we Wroclawiu (Dyrektor: prof. dr St. Slopek)
Dzial Immunologii (Osrodek Badan Patologii Ciazы) Kierownik: prof.
dr H. Kowarzyk)

(RH FACTORS

isoimmun. in pregn. & blood transfusion, rare cases)

EXCERPTA MEDICA Sec 4 Vol 12/7 Med. Micro. July 59

2219. EXPERIMENTAL ERYTHROBLASTOSIS IN RABBITS. I. THE ANTIGENIC STRUCTURE OF RABBIT BLOOD - Doświadczalna erythroblastozą u królików. I. Struktura antygenowa krwi królików - Grodecka U. and Osieńska M. Inst. Immunol. i Terap. Dośw. PAN, Wrocław - ARCH. IMMUNOL. TERAP. DOSW. (Wrocław) 1957, 5 (373-385) Tables 10

In order to obtain an experimental model for the haemolytic disease due to the incompatibility of blood groups in mother and child, the authors performed serological studies on rabbits. The serum used for the experiments was that of 5 rabbits which had previously been given the serum of a female rabbit giving birth to dead fetuses and with symptoms of erythroblastosis. Using in turn the serum of these 5 rabbits in the blood examinations of 69 rabbits, the authors found that the above-mentioned sera contained several antibodies directed against one or several antigenic principles. These results will permit the selection of animals, necessary for the proper mating of rabbits to produce experimental erythroblastosis.

Kawecki - Wrocław (V. 4)

GRODECKA, Urszula; OSINSKA, Maria

Blood groups in animals and their significance in pathogenesis of hemolytic disease. Postepy. hig. med. dosw. 11 no.4:387-396 1957.

1. Instytut Immunologii i Terapii Doświadczalnej PAN im. Ludwika Hirszfelda Dział Immunologii. Wrocław, ul Chalubinskiego 4.

(ANEMIA, HEMOLYTIC, etiology and pathogenesis,
blood group incompatibility in animals, review (Pol))

(BLOOD GROUPS,
incompatibility in hemolytic dis. in animals, review (Pol))

GRODECKA, Ursula; MARCINIAKOWNA, Ewa; OSINSKA, Maria

Significance of serological formulae in pregnancies with serological conflicts. Arch.immun.ter.dow. 8 no.2:225-234 '60.

1. Ośrodek Badan Patologii Ciała Instytutu Immunologii i Terapii
Doświadczalnej PAN we Wrocławiu
(BLOOD GROUPS)
(PREGNANCY blood)

GRODECKA, Ursula; HALAZINSKA, Lucja

Hemolytic disease of newborn caused by anti-c antibodies. *Przegląd tygodniowy lek.* 15 no.14:512-513 4 Ap '60.


1. Z Ośrodka Badań Patologii Ciąży; kierownik: prof. dr H. Kowarczyk, Instytutu Immunologii i Terapii Doświadczalnej PAF we Wrocławiu; dyrektor: prof.dr St. Slopek i z II Kliniki Położnictwa i Chorob Kobiety; kierownik: prof. dr K.Jablonski.
(ERYTHROBLASTOSIS FETAL)

GRODECKA, Ursula

On the hazard of hemolytic disease in offspring born to couples
with Rh incompatibility. Polski tygod.lek.15 no.30:1137-1140
25 JI '60.

1. Z Ośrodka Badan Patologii Ciązy; kierownik: prof. dr H.Kowarszyk;
Instytut Immunologii i Terapii Doświadczalnej PAN we Wrocławiu;
dyrektor: prof. dr St.Słopek
(ERYTHROBLASTOSIS FETAL etiol)

Shedicha, itzula



~~Source: (M. 0000); Given Name~~

Country: Poland

Academic Degrees: [Not given]

Institute of Immunology and Experimental Therapy of the Polish Academy
of Sciences (Instytut Immunologii i Terapii Doświadczalnej PAN),
Wrocław

Source: Warsaw, Pamiętnik Lekarski, No 5, 1961, pp 198-199.

Title: "Significance of Some Serological Structures in Conflict Pregnancy." (Abstract)

Co-author:

OSTROWSKI, M. Institute of Immunology and Experimental Therapy of the
Polish Academy of Sciences, Wrocław

GODZINSKA, Henryka; GRODECKA, Urszula

Sedimentation of erythrocytes from the umbilical blood and its role in the diagnosis of hemolytic disease of newborn infants. Arch.immun. ter.dosw. 9 no.1:83-89 '61.

1. Zaklad Grup Krwi Instytutu Immunologii i Terapii Doswiadczalnej
PAN we Wroclawiu.
(ERYTHROBLASTOSIS FETAL diag) (BLOOD SEDIMENTATION)

GRODECKA, Urszula

Antigenic character of rabbit immune antibodies. Arch. immun. ter.
dosw. 9 no.4:779-800 '61.

1. Department of Blood Groups, Institute of Immunology and Experimental
Therapy, Polish Academy of Sciences, Wroclaw.

(IMMUNE SERUMS) (ANTIBODIES) (ANTIGENS)

GRUDECKA, U.

SURNAME, Given Names

Country: Poland

Academic Degrees: [not given]

Affiliation: [Presumed] Ludwik Hirszfild Institute of Immunology and Experimental Therapy (Instytut Immunologii i Terapii Doswiadczen Ludwika Hirszfolda), Polish Academy of Sciences (PAN--Polska Akademia Nauk), Wroclaw; Director: Prof. Stefan SLOPEK, Dr.

Source: Warsaw, Postawy Higieny i Medycyny Doswiadczennej, Vol XV, No 1961, pp 371-372.

Data: "The Risk of Hemolytic Disease in Offspring of Marriages with Incompatibility in Respect to Rh Characteristics."

English abstract of article originally published in Pol Tyg Le: 1960, 15, 1137.

SP 9:

SURNAME, Given Names

Country: Poland

Academic Degrees: not given

Affiliation: Presumed Ludwik Hirszfeld Institute of Immunology and Experimental Therapy (Instytut Immunologii i Terapii Doswiadczałnej i

Ludwika Hirszfelda), Polish Academy of Sciences (PAN--Polska Akademia Nauk), Wrocław; Director: Prof. Stefan SLOPEK, Dr.

Source: Warsaw, Postępy Higieny i Medycyny Doswiadczałnej, Vol XV, No 4, 1961, pp 372-374.

Date: 1961, pp 372-374.

Data: "The Significance of Serologic Structure in Conflict Pregnancy." English abstract of original article, published in Arch Immunol i Terapii Dosw, 1960, 8, 225.

Authors:

ORODECKA, U.

MARCINIAKOWNA, E.

OSINSKA, M.

070 001043

SURNAME, Given Names

Country: Poland

Academic Degrees: [not given]

Affiliation: [Presumed] Ludwik Hirszfeld Institute of Immunology and Experimental Therapy (Instytut Immunologii i Terapii Doswiadczałnej im. Ludwika Hirszfelda), Polish Academy of Sciences (PAN--Pol Akademia Nauk), Wrocław; Director: Prof. Stefan SLOPEK, Dr.

Source: Warsaw, Postępy Higieny i Medycyny Doswiadczałnej, Vol XV, No 4, 1961, pp 377-378.

Data: "Hemolytic Disease of the Newborn Caused by Anti-C Antibodies."

English abstract of article originally published in Pol Tyg Lek, 1960, 15, 512.

Authors:

GRODECKA, U.

HALAZINSKA, Z.

070 901643

1968)

Uryszko-Golebiewska, Institute of Zoology and Experimental Genetics,
Hendryk S. Sniadecki, MD, and Department of Blood Transfusion, Medical Academy,
MD, Polish Academy of Sciences (English version not given), Poland.

"Serologic Differentiation of Rabbit Group Subgroups"

Krakow, *Folia Biologica*, Vol. 11, No. 2-6, 1967, pp. 177-180.

Abstract (English article): Serologic studies of 411 rabbits and also
the presence of a characteristical in rabbit group subgroups
immunologic reactions and distinguished. Diagrams of subgroups of rabbit
subgroups.

177

GRODECKA, Urszula

Serologic differentiation of rabbit gamma globulins. Folia biol
10 no.3/4:179-185 '62.

1. Institute of Immunology and Experimental Therapy, Polish Academy
of Sciences, Wroclaw. Head: S. Slopek, M.D. and Department of
Blood Groups, Polish Academy of Sciences, Wroclaw. Head:
B. Popielski, M.D.

#

GRODECKA, Urszula

Production of iso-precipitating rabbit antibodies. Postępy hig.
med.dosw. 17 no.5:567-569 S-0'63

1. Z Zakładu Grup Krwi Instytutu Immunologii i Terapii Doświad-
czalnej PAN im. L.Hirszfelda we Wrocławiu; kierownik Zakładu:
prof.dr. B.Popielski; dyrektor instytutu: prof.dr.S.Słopek.

*

GRODECKA, Urszula

Hereditary transmission of rabbit γ -globulin allotypes. Arch.
immun. ther. exp. 12 no.2:143-149 '64.

1. Department of Blood Groups, Institute of Immunology and Ex-
perimental Therapy, Polish Academy of Sciences, Wroclaw.

GRUDECHA, Urszula

Serologic differentiation of human serum proteins. Preliminary communication. Arch. Immun. Ther. exp. 12 no. 6: 665-666 '62

1. Department of Blood Groups, Institute of Immunology and Experimental Therapy, Polish Academy of Sciences, Wrocław.

GRODECKI, J.

"Organization of Repair Against the Background of the Development of Automobile
Production and Transportation." p. 278 (Motoryzacja, Vol. 8, No. 10, Oct. 1953,
Warszawa)

SO: Monthly List of East European Accessions, Vol. 3, No. 6, Library of Congress, June,
1954, Uncl.

RODZINI, J.

"Repairing Trucks in Our Own Transportation Service Workshops." p. 303,
(MOTORIZACJA, Vol. 8, No. 11, Nov. 1953. Warszawa, Poland.)

SO: Monthly List of East European Accessions, (REAL), LC,
Vol. 3, No. 12, Dec. 1954, Uncl.

ORODESKI, J.

"Regenerating Repairs." p. 44, (MOTORYZACJA, Vol. 9, No. 2, Feb. 1954.
Warszawa, Poland.)

SO: Monthly List of East European Accessions, (SEAL), DC,
Vol. 3, No. 12, Dec. 1954, Uncl.

GRODECKI, J.

"More about the organization of repairs in automotive transportation." p.327.
(MOTORYZACJA. Vol. 9, No. 11, Nov. 1954. Warszawa, Poland)

SO: Monthly List of East European Accessions. (EEAL). LC. Vol. 4, No. 4.
April 1955. Uncl.

GRUDECKI, J.

Remarks on the matter of a supply base for repair works of the automobile industry. p. 97, Vol.

Vol. 5, No. 4, April 1955, TECHNIKA MOTORYZACYJNA

SO:MONTHLY LIST OF EAST EUROPEAN ACCESSIONS, (EEAL), LC, Vol. 4, No. 9,
Sept. 1955, Uncl.

GRODICKI, J.

Geneva Automobile Show. 1957, p. 132
(MOTORYZACJA, Vol. 12, No. 5, May, 1957, Warsaw, Poland)

SO: Monthly List of East European Accessions (EFAL) LC, Vol. 6, No. 9, Sept. 1957, Uncl.

TEODECKI, J.

Passenger automobiles in the light of the development of motorization in the Soviet Union in 1959-1965. p. 10.

PRZEMIAŁ TECHNICZNY. (Naczelna Organizacja Techniczna) Warszawa, Poland.
Vol. 20, no. 24, June 1959.

Monthly List of East European Accessions (MEAI), 10, Vol. 3, no. 3, Aug. 1959.

Encl.

GRODECKI, Jerzy. mgr. inz.

Developments trends of Polish motorization. Przegl techn no.39:4-5
28 S '60

GRCDECHI, Jerry, m/r., inz.

The International Automobile Fair in Geneva in 1962. Personal techn
no. 27:6-7. 8 J1 '62.

GRODECKI, Jerzy, mgr inż.

New starts of operation in production processes and technological progress in the national economy. Przegl techn no.51:3,4 23 D '62.

GRODECKI, Jerzy, mgr inz.

Development problems in the motor vehicle industry. Techn
motor 13 no. 7: 216-220 J1 '63.

GRODECKI, Jerzy, mgr inż.

New production technology in the machine construction industry.
Przegl tech 84 no.22:3,4 2 Je '63.

GRODECKI, Jerzy, mgr ins.

At the Paris automobile car exhibition. Przegl techn 84 no.1:7
6 Ja '63.

GRODECKI, Jerzy, mgr inż.

Development trends in the world automobile industry as seen in the
Automobile Salon in Turin. Przegl techn 84 no.50:7 15 D '63.

GRODECKI, Jerzy, mgr inż.

Trucks and specialized automobiles at the International
Automobile Salon in Turin. Przegl techn 85 no.5: 7
2 P'64.

GRODECKI, Jerzy, mgr inż.

Development of the motor industry during the years 1966-1970.
Przegl techn 85 no. 24:5 14 Je '64.

GRODECKI, Jerzy, mar inż.

Problems of spare parts in modernization. Przegl techn 36
no.9:1,4 23 F '65.

GRODECKI, Ryszard, inż.

Work done for the security and safety of traffic and communication during the electrification of the line Wrocław—Opole—Strzelce Opolskie. Przegl kolej elektrotech 13 no.1:2-5 Ja '61.

GRODECKI, R., ins.

Operation and telecommunication protection services of the Wroclaw
District Administration of State Railroads in its winter activities
1962/63. Przegl kolej elektrotech 15 no.5:119-121 My '63.

GRODECKI, Ryszard, inż.

Computers in railroad transportation. Przegl kolej elektrotech
15 no.7:205 J1 '63.

1. Dyrekcja Okręgowa Kolei Państwowych, Wrocław.

GRODEK, A., inzh.

Newly designed clamp for pretensioning reinforcement in forms.
Gor.i sel.stroi. no.8/9:26 Ag-S '57. (MIRA 10:12)
(Prestressed concrete)

GRODSKIY, Ye.; GRODEK, A., nauchnyy sotrudnik; TITOV, S., nauchnyy sotrudnik

Studies of mesh-reinforced concrete. Sbor. nauch. soob.
NIIsel'stroia no.2:14-30 '60. (MIRA 15:5)

1. Nauchno-issledovatel'skiy institut sel'skogo stroitel'stva.
2. Rukovoditel' laboratorii armotsementa Nauchno-issledovatel'skogo instituta sel'skogo stroitel'stva (for Grodskiy).
(Reinforced concrete construction)

BEKIRBAYEV, D.B.; GRODEL', G.S.; GUL'SHIN, P.A.; KLEPIKOVA, M.S.; PETRU-
KHIN, P.M.; POLYANSKIY, I.P.; RASSOLOV, N.I.; TARASOVA, A.A.;
PERTAL'MEYSTER, Ya.N.; CHERVINSKIY, M.S.; SHANOVSKAYA, S.S.;
KLIMANOV, A.D., otv.red.; ZHUKOV, V.V., red.izd-va; PROZOROVSKAYA,
V.L., tekhn.red.; KONDRAT'YEVA, M.A., tekhn.red.

[Control of coal and rock dust in mines] Bor'ba s ugol'noi i porod-
noi pyl'iu v shakhtakh. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po
gornomu delu, 1959. 499 p. (MIRA 13:3)
(Mine dusts)

GRODEL', G.S., insh.

New method of watering used in mining with breaking hammers.
Bezop.truda v prom. 3 no.4:26-27 Ap '59. (MIRA 12:6)

1. Makeyevskiy nauchno-issledovatel'skiy institut po bezopasnosti rabot v gornoy promyshlennosti.
(Mining engineering--Safety measures)

GRODEL', G.S.

Breaking and water-spraying hammers used in edge seams.
Biul.tekh.-ekon.inform. no.8:4-5 '59. (MIRA 13:1)
(Coal mining machinery)

BEKIRBAYEV, D.B.; GRODEL', G.S.; GUL'SHIN, P.A.; KLEPIKOVA, M.S.; PETRUKHIN, P.M.; POLYANSKIY, I.P.; RASSOLOV, N.I.; TARASOVA, A.A.; FERTEL'-MEYSTER, Ya.N.; CHERVINSKIY, M.S.; SHANOVSKAYA, S.S.; KLIMANOV, A.D., otv.red.; ZHUKOV, V.V., red.izd-va; PROZOROVSKAYA, V.L., tekhn.red.; KONDRAT'YEVA, M.A., tekhn.red.

[Coal and rock dust control in mines] Bor'ba s ugol'noi i porodnoi pyl'iu v shakhtakh. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po gornomu delu, 1959. 499 p. (MIRA 13:6)
(Mine dusts) (Coal mines and mining--Safety measures)

GRODEL', G.S., inzh.

Adding wetting agents to water conduits. Bezop.truda v prom. 5
no.7:15-16 J1 '61. (MIRA 14:6)

1. Makeyevskiy nauchno-issledovatel'skiy institut po bezopasnosti
rabot v gornoy promyshlennosti.
(Coal mines and mining—Safety measures)

VERMOV, Grigoriy Petrovich; GODEL', Georgiy Semenovich; RASSOLOV,
Nikolay Ivanovich; SHADKHAN, V.M., otv. red.; SMIRENSKIY,
M.M., red.izd-va; LOMILINA, L.N., tekhn. red.

[Means of controlling mine dusts]Sredstva bor'by s pyl'iu v
shakhtakh. Moskva, Gosgortekhnizdat, 1962. 69 p.

(MIRA 15:11)

(Mine dusts)

SHANOVSKAYA, S.S.; RASSOLOV, N.I.; BEKIRHAYEV, B.D. [deceased];
PETRUKHIN, P.M.; GODEL, G.S.; FROLOV, M.A.; CHERVINSKIY,
M.S.; BOBRITSKIY, V.P.; POLYANSKIY, I.P.; NIKITIN, V.S., *otv.*
red.; LUCHKO, V.S., *red. izd-va*; SHKLYAR, S.Ya., *tekhn. red.*;
MAKSIMOVA, V.V., *tekhn. red.*

[Handbook on controlling dust in coal mines] Spravochnoe po-
sobie po bor'be s pyl'iu v ugol'nykh shakhtakh. [By S.S.
Shanovskoi i dr.] Moskva, Gosgortekhnizdat, 1963. 190 p.
(MIRA 16:6)

(Mine dusts)

GRODEL', G.S.

Ways of getting wetting agents into waterlines used for wetting.
Vop. bezop. v ugol'. shakh. 13:211-218 '62.

(MIRA 16:5)

(Water pipes)

GRODEL', G.S.

Jets for wetting in coal mines. Vop. bezop. v ugol'. shakh. 13:
205-210 '62. (MIRA 16:5)

(Jets) (Mine dusts—Prevention)

GRODEL', G.S.

Determining the water permeability of coal seams. Trudy MakNII 15:
178-184 '64.

Moisture content of coal mined using complex dust suppression
during mining operations. Ibid.:184-190

(MIRA 17:11)

1. The following information was obtained from the file of the
CIA, Office of the Director, Intelligence Operations, dated 10/10/64.

2. The following information was obtained from the file of the
CIA, Office of the Director, Intelligence Operations, dated 10/10/64.

3. The following information was obtained from the file of the
CIA, Office of the Director, Intelligence Operations, dated 10/10/64.
4. The following information was obtained from the file of the
CIA, Office of the Director, Intelligence Operations, dated 10/10/64.
5. The following information was obtained from the file of the
CIA, Office of the Director, Intelligence Operations, dated 10/10/64.
6. The following information was obtained from the file of the
CIA, Office of the Director, Intelligence Operations, dated 10/10/64.
7. The following information was obtained from the file of the
CIA, Office of the Director, Intelligence Operations, dated 10/10/64.
8. The following information was obtained from the file of the
CIA, Office of the Director, Intelligence Operations, dated 10/10/64.
9. The following information was obtained from the file of the
CIA, Office of the Director, Intelligence Operations, dated 10/10/64.
10. The following information was obtained from the file of the
CIA, Office of the Director, Intelligence Operations, dated 10/10/64.

L 13421-66 EWP(j)/T RPL WW/RM

ACC NR: AP6006880

SOURCE CODE: PO/0046/65/010/008/0469/0476

AUTHOR: Polyatski, Zenon--Polacki, Z.; Grodel', Mar'yan--Grodel, M.

ORG: Polytechnical Institute, Gdansk (Politekhnicheskiy institut)

TITLE: Radioluminescence of styrenemethylmethacrylate copolymers

SOURCE: Nukleonika, v. 10, no. 8, 1965, 469-476

TOPIC TAGS: radioluminescence, copolymer, styrene, methylmethacrylate, light emission

ABSTRACT: The concentration dependence of the radioluminescence efficiency of solutions of styrene in methylmethacrylate were studied before and after polymerization. Conclusions were drawn indirectly from the measurements of the relative light emission intensity of 2-(1-naphthyl)-5-phenyloxazole, which was added to the solutions as an admixture with unchanged concentration. With dilution of styrene by methylmethacrylate the radioluminescence intensity decreased, thus methylmethacrylate can be considered as absorbing substance causing the quenching of radioluminescence. It was established that the radioluminescence efficiency of solutions of 80% styrene and 20% methylemethacrylate was equal to that of polystyrene solutions. The authors thank Professor V. Mostaitkiy for the valuable advice and interest in this work. Further thanks is extended to I. Kachinskiy for his active assistance in the preparation of the solid solutions. Orig. art. has: 6 figures. [NA]

SUB CODE: 07, 20 / SUBM DATE: 13Jul64 / ORIG REF: 004 / OTH REF: 012

SOV REF: 003

Card 1/1

GRODNENSKIY, A., inzh.

Instead of formwork, a protective casing. Na stroi.Ros. 4 no.6:5
Je '63. (MIRA 16:6)

(Concrete construction)

VOYUTSKIY, V.S.; GRIGORYEV, A.G.

Interference-stability of an asynchronous storage. (Engl. transl.
no.40:52-56 '64 (MIRA 1841)

GRCDENSKIY, G., otvetstvennyy redaktor; SOSEDKO, A., redaktor-opganizator;
LEYTINA, T., tekhnicheskiiy redaktor

[Globus; a geographical annual for children] Globus; geograficheskiy
ezhegodnik dlia detei, 1949. Moskva, Gos. izd-vo detskoi lit-ry
Ministerstva prosveshcheniia RSFSR, 1949. 431 p. (MIRA 9:?)

1. Geograficheskoye obshchestvo SSSR.
(Geography--Yearbooks)

GRODENSKIY, G.P., otvetstvennyy redaktor; KORENYUK, I.P., tekhnicheskii redaktor

[Through our native land; collected articles on geography for children] Po rodnoi strane; geograficheskii sbornik dlia detei.
Leningrad, Gos. izd-vo detskoj lit-ry Ministerstva prosveshchenia
RSFSR, 1954. 200 p. (MLRA 7:10)
(Russia--Description and travel)

SMIRNOV, Vsevolod Aleksandrovich; ~~GRODENSKIY, G.P.~~, redaktor; KORENNUK, Z.P.,
tekhnicheskiiy redaktor; NIKONOVA, V.I., tekhnicheskiiy redaktor.

[Experiments and homemade equipment in physics] Opyty i samodelki po
fiz'ke. Leningrad, Gos.izd-vo detskoi lit-ry, 1955. 110 p.
(Physics--Experiments) (Physical instruments) (MIRA 8:5)

GRODENSKIY G.P.

KORSUNSKAYA, Vera Mikhaylovna; GRODENSKIY, G.P., otvetstvennyy redaktor;
SUSLANNIKOVA, N.M., tekhnicheskiy redaktor

[Charles Darwin, the great naturalist] Velikii naturalist Charlz
Darvin. Khudoshnik B.Pistunin. Leningrad, Gos. izd-vo detskoi
lit-ry, 1956. 319 p. (MLRA 10:2)
(Darwin, Charles, 1809-1882)

GRODENSKIY, Grigoriy Pavlovich; KORSUNSKAYA, V.M., red.; FIALKINA, G.A.,
red.; TARASOVA, V.V., tekhn.red.

[Readings in biology outside class] Vneklassnoe chtenie po biologii.
Pod red. V.M.Korsunskoi. Moskva, Izd-vo Akademii pedagog. nauk
RSFSR, 1957. 49 p. (MIRA 11:4)
(Biology--Study and teaching)

GRODENSKIY
TIKHONOV-BUGROV, Yevgeniy Dmitriyevich; GRODENSKIY, G.P., otvetstvennyy redaktor;
KORENYUK, Z.P., tekhnicheskii redaktor.

[Harnessing of rivers]. Pokorenie rek. Leningrad, Gos.izd-vo detskoi
lit-ry, 1957. 153 p.
(Hydroelectric power stations)

KHRSHANOVSKIY, A.A., otv.red.; AL'TMAN, L.P., red.; VERZILIN, N.M.,
red.; GRODENSKIY, G.P., red.; OBRUCHEV, S.V., red.; SUSLENNI-
KOVA, M.M., tekhn.red.; LEONT'YEVA, L.B., tekhn.red.

[Globus; a geographical yearbook for children, 1957] Globus;
geograficheskiy ezhegodnik dlia detei, 1957. Leningrad, Gos.
izd-vo detskoi lit-ry M-va prosv.RSFSR, 1957. 438 p.
(MIRA 12:8)

(Geography--Juvenile literature)

GRODENSKIY, Grigoriy Pavlovich; NEUYMINA, H.K., otv.red.; SUSLENNIKOVA,
H.M., tekhn. red.

[Ural treasure; through the Il'men Preserve] Ural'skaia kladovaya;
po Il'menskomu zapovedniku. 2., dop. izd. Leningrad, Detgiz,
1962. 123 p. (MIR 15:11)
(Il'men Mountains--Minerals)

DZHALALBEKOVA, L.A.; VERZILIN, I.M., prof., red.; ZURKOV, A.I., red.;
KALESNIK, S.V., prof., red.; NEVSKIY, S.V., red.; OBRUCHEV, S.V.,
prof., red.; RODIN, L.Ye., doktor biol.nauk, red.; USPENSKIY,
L.V., pis., red.; SHCHERBAKOV, D.I., akademik, red.; GRODENSKIY,
G.P., otv. red.; LEONT'YEVA, L.B., tekhn. red.; TRUSOVA, P.L.,
tekhn. red.

[The globe; geographical yearbook for children] Globus; geogra-
ficheskiy ezhegodnik dlia detei. Detgiz, Leningrad, 1962. 428 p.
4 maps. (MIRA 16:5)

1. Chlen-korrespondent Akademii pedagogicheskikh nauk (for
Verzilin). 2. Chlen-korrespondent Akademii nauk SSSR (for Kalesnik,
Obruchev).

(Geography--Yearbooks)

VLASOV, Aleksandr Yefimovich; ~~MLODIK~~, Arkadiy Markovich;
GRODENSKIY, G.P., otv. red.; TRUSOVA, P.L., tekhn. red.

[Magic window] Volshebnoe okno. Leningrad, Detgiz, 1963.
158 p. (MIRA 16:5)

(Motion-picture photography)

BATUYEV, Andrey Mikhaylovich; GRODESKIY, G.F., otv. red.

[Kartik and other animals] Kartik i drugie. Leningrad,
Detskaya literatura, 1965. 86 p. (MIRA 12:4)

L 00118-60 EWT(d)/TDB(jj)/BXT/EED-2/EWP(1) Po-4/Fq-4/Fg-4/Pk-4 IJP(c)
BB/TK/GG/CC/BXT(bf)

S/0000/64/000/000/0074/0085

ACCESSION NR: AT5003806

AUTHOR: Grodetskaya, T. D.

TITLE: Reference equipment of the Central Branch Reference-Information Center ⁵⁶₅₅ ^{B+}

SOURCE: Moscow. Vsesoyuznyy institut nauchnoy i tekhnicheskoy informatsii. Sozdaniye i ispol'zovaniye tsentral'nogo otraslevogo spravочно-informatsionnogo fonda (Organization and use of a central special reference collection); materialy nauchno-tekhnicheskogo soveshchaniya. Moscow, 1964, 74-85

TOPIC TAGS: automatic data correlation, data processing, data storage, information recording, computer, information processing, library

ABSTRACT: The functions and library equipment of this reference and information center are described. Because the work depends on a close cooperation with the scientific technical library, recommendations were made for further improvement of this relationship by a partial mechanization of the procedures through the use of special perforated card-systems (perfo-cards). Cards with marginal perforation which required special hardware in handling were inferior to the visual perfocards manufactured by the computer factories and used without any mechanical equipment. The card systems were classified as thematic- or specialty-registers according to their functions. Visual and marginal perfo-cards were used in both cases. Thematic Card 1/2

L 30118-65

ACCESSION NR: AT5003806

description cards were written in direct coding for each article in the scientific-technical library (sometimes such cards included the addresses of pertinent industrial organizations). Further improvement in speed and working accuracy was achieved by the introduction of automatic punch-cards processed by 80-column mechanical computers; this system was used for cataloging electrical machinery. The catalog contents were transferred to nonperforated cards size K5; each card was given an order number which was then punched on the corresponding number of the parallel visual perfo-cards (containing descriptions) by a standard 80-column card-punch machine. The visual perfo-cards were written in the same descriptive code developed previously for the marginal card systems. A very practical thematic card file of purely bibliographic nature was introduced. A simple information language containing 57 descriptors was developed for the marginal card system; an annotated bibliography with the descriptions arranged in the numerical order was the information source for the visual card systems. Searching procedure with both systems was simple and required little time. Orig. art. has: 6 figures.

ASSOCIATION: Vsesoyuznyy institut nauchnoy i tekhnicheskoy informatsii (All-Union Institute of Scientific and Technical Information)

SUBMITTED: 23Sep64

ENCL: 00

SUB CODE: DP

NO REF SOV: 000

OTHER: 000

Card 2/2

DOTSENKO, K.D., mashinist ekskavatora; TIMASHKOV, M.V.; GRODETSKIY, I.A.;
OLFER'YEV, M.A.; IVANOV, M.N., inzhener, redaktor.

[Highly productive work on a dragline excavator] Opyt vysokoproiz-
voditel'noi raboty na ekskavatore-draglaine. Moskva, Gos. transp.
zhei-dor. izd-vo, 1953. 28 p. (MLRA 7:4)

(Excavating machinery)

GRODETSKIY, I.A.; KARAMYSHEV, I.A., inzhener, redaktor; KHITROV, P.A.,
tekhnicheskiiy redaktor.

[Work scheduling in mechanized earthwork] Dispetcherizatsiia
mekhanizirovannykh zemlianykh rabot. Moskva, Gos. transp.zhel-dor.
izd-vo, 1953. 109 p. [Microfilm] (MLBA 7:11)
(Earthwork)

GRODETSKIY, I.A.

Experience in building earthen roadbeds for narrow-gauge railroads.
Transp.stroi.5 no.8:3-6 0 '55. (MLRA 9:1)

1. Rukovoditel' gruppy proyektirovo-konstruktor'skogo byuro Glavstroy-
mekhanizatsii.
(Railroads--Earthwork)

GOTSDINER, S.O.; GRODITSKIY, I.A.; KATSEV, I.Ye.; KRASHYANSKIY, A.I.;
POSEL'SKIY, P.P.; SOROKIN, N.M., inzhener, redaktor; TIKHOMONOVICH,
B.Z., inzhener, redaktor; KHITROV, P.A., tekhnicheskiy redaktor

[Advanced engineering methods in excavation work in connection with
railroad construction] Peredovaya tekhnologiya proizvodstva so-
mlianykh rabot pri stroitel'stve zheleznykh dorog. Moskva, Gos.
transp.zhel-dor. izd-vo, 1956. 150 p. (MLHA 9:10)

(Excavating machinery)
(Railroads--Earthwork)

GRIGORETSKIY, I.A., inzh.

Disseminating experience of efficient workers. Transp. stroi. 7 no.12:
29- 30- D '57. (MIRA 11:2)

(Railroad engineering)

MYAKHNIKOV, N.A., kand.tekhn.nauk; KURDIN, G.K., inzh.; GRODETSKIY,
I.A., inzh.

Device for measuring slopes. Transp.stroi. B no.4:30-31
Ap '58. (MIRA 12:12)
(Level(Tool))

M-2

CZECHOSLOVAKIA/Cultivated Plants - Grains.

Abs Jour : Ref Zhur - Biol., No 7, 1958, 29675

Author : Grodetskiy, V.

Inst :

Title : An Evaluation of the Results of Wheat Variety Testing in
1955-1956.

Orig Pub : Za vysokou urodu, 1957, 5, No 15, 351-353

Abstract : No abstract.

Card 1/1

AUTHORS:

G. RODETSKIY, Yu.S. 125-58-4-14/15
Lashkevich, R.I., Candidate of Technical Sciences, Gro-
detskiy, Yu.S., Engineer, Shirokovskiy, R.M., Engineer

TITLE:

Guiding Device for Automatic Welding (Sledyashsheye
ustroystvo dlya avtomaticheskoy svarki)

PERIODICAL:

Avtomaticheskaya Svarka, 1958, Nr 4, pp 92-94 (USSR)

ABSTRACT:

The described device, developed at the Electric Welding Institute imeni Paton, automatically directs electrodes in difficult-to-reach spots, in particular in welding inside seams on large-diameter gas line pipes. Prior to welding, a "bearing line" must be traced on one of the pipe blank edges with the use of a special floating cutter head (Figure 1) which is attached to the end of the top crosshead beam on an edge-finishing mill. The electrical system of the device (shown in Figure 2), comprises a guide block consisting of a bridge with two semi-conductor photo-resistances and an optical system, a phase-sensitive amplifier, an electric machine amplifier, and an electric mechanism switching-in the motor and the reductor. The guide block is mounted on the welding nozzle or on the welding head housing. The image of the "bearing

Card 1/2

Guiding Device for Automatic Welding

125-58-4-14/15

line" falls on the photo-resistances, and when they are lit equally - the bridge is in balance. Even a slight displacement of electrodes from the center line on the blank causes a displacement of the guide block from the "bearing line", which in turn causes a signal and actuates the machine amplifier. The polarity of the signal determines the rotation direction of the motor and hence a displacement of the electrodes back to coincidence with the center line. It was shown in long tests at the Khartsyzskiy trubnyy zavod (Khartsyzsk Pipe Plant) that the displacement of electrodes from the weld center does not exceed 1 mm to one or the other side. The device is reliable and does not require highly-skilled operators. It is recommended for use in the production of pipes. There is 1 photo and 1 figure.

ASSOCIATION: Institut elektrosvariki imeni Ye.O. Patona AN UkrSSR (Electric Welding Institute imeni Ye.O. Paton of the AS UkrSSR)

SUBMITTED: December 28, 1958

AVAILABLE: Library of Congress

Card 2/2

18(5), 28(1)

SOV/125-59-10-4/16

AUTHOR: Paton, B.Ye., Academician, and Grodetskiy, Iu.S.,
Engineer

TITLE: The Programming of welding Processes

PERIODICAL: Avtomaticheskaya svarka, 1959, Nr 10, pp 31-38 (USSR)

ABSTRACT: The article is concerned with programming installations for the automatic regulation of fast and prolonged welding operations, and the author divides the operations into 3 groups. The first one is that for fast welding processes, the program of which is illustrated in Fig 1. The program of the voltage may be arrived at simply and accurately by means of the layout given in Fig 2. The power of the resistances r is selected as being less than r_1, r_2, r_3 ; the voltage in the resistances r is thus $U_I = r(i_1 + i_2 + i_3)$ and $U_I = r(i_5 + i_6 + i_7)$. In order to synchronize the voltage program with the circuit the switches k_1, k_2, k_3 must be switched off when the current transfer reaches zero, the required voltage being maintained by the connection of the appropriate switch (k_4 in Fig 2). This lay-out allows for a very accurate system, which

Card 1/4

SOV/125-59-10-4/16

The Programming of welding Processes

is also synchronized with the circuit, and can in addition be used for programming other factors, such as pressure. In this case peak-transformers (Fig 2) or rapid-action electromagnetic relays are inserted in the circuit; the peak-transformers have 2 peak windings, each feeding its own group of tiratron circuits (even and odd). This voltage cycle must be repeated periodically for the programming of roller welding, all the tiratrons being switched off in the same way as above by means of a discharge circuit (Fig 3). Fig 4 contains an oscillogram of the program voltage illustrated in Figs 2 and 3. In the section devoted to welding processes of average duration, the author deals with operations lasting 1-2 secs. These can be carried out in accordance with the aforementioned method, but to avoid an excess of switches, an auxiliary electro-mechanical apparatus is installed, which guarantees the regular discharge of impulses. This consists of a peak-transformer in which voltage peaks are formed at moments of sharp alteration in the magnetic current, caused by the proximity of a

Card 2/4

SOV/125-59-10-4/16

The Programming of Welding Processes

steel disc, which is synchronized with the circuit (illustrated in Fig 5a); the voltage peaks are illustrated in Fig 5b. Since one path of movement for the steel discs is insufficient, several are used, the number of peak-transformers equalling the number of paths. Finally, the programming of prolonged welding processes is dealt with. Here there is no need for synchronization with circuit voltage or for maintaining program voltage during each half-period or period; a programming installation for this kind of welding process must be of constant voltage, alternating at fixed intervals, it must be simple to use and must have no moving contacts. Photoelectric installations are the best for the purpose, and the program can be carried out as a black-and-white film (Fig 6a). Changes in the proportions of black and white are reflected in the amount of photoresistance and Fig 6b shows the dependence of the voltage at the bridge exit on the amount of light. This system can be used for several programs by means of a revolving

Card 3/4

SOV/125-59-10-4/16

The Programming of Welding Processes

drum and the appropriate films; its advantages are its simplicity, its diversity of application and its clarity, while it is marred by being somewhat inaccurate. The inductive feeder shown in Fig 7 is sometimes used instead, enabling the sensitivity to be raised and zero discharge voltage to be attained. There are 7 diagrams and 2 Soviet references.

ASSOCIATION: Ordena trudovogo krasnogo znameni institut elektrosvariki imeni Ye.O. Patona AN USSR (Order of the Red Banner of Labor Institute of Electric Welding imeni Ye.O. Paton AS UkrSSR); AS USSR (Paton)

SUBMITTED: August 4, 1959.

Card 4/4

1.2300

22946
S/125/61/000/007/002/013
D040/D112

AUTHORS: Paton, B.Ye., Gavrish, V.S., Grodetzkiy, Yu.S.

TITLE: Universal Welding Programmer

PERIODICAL: Avtomaticheskaya svarka, no.7, 1961, 15-20

TEXT: The Ordena Trudovogo Krasnogo Znameni Institut elektrosvarki im. Ye.O. Patona AN SSSR (Electric Welding Institute "Order of the Red Banner of Labor" im. Ye.O. Paton AS UkrSSR) has developed a new universal programming system called УПУ (UPU) for resistance welding machines. It eliminates the deficiencies of previously described programmers (Ref.2: B.Ye. Paton, Yu.S. Grodetzkiy, "Avtom.svarka", no.10, 1959; Ref.3: V.N. Nikulin, V.I. Skurikhin, "Avtom.svarka", no.10, 1960) that were complicated and had no dependable program carrier. The UPU is a discrete system with a numerical binary code by which any number can be presented as a sum

$$N = \sum_{k=0}^{n-1} a_k 2^k,$$

where a_k can only have one of two meanings - 0 or 1. An example: the

Card 1/6

Universal Welding Programmer

22946
S/125/61/000/007/002/013
D040/D112

number 53- $1 \cdot 2^5 + 1 \cdot 2^4 + 0 \cdot 2^3 + 1 \cdot 2^2 + 0 \cdot 2^1 + 1 \cdot 2^0 = 110101$, i.e. 53 will be represented by six digits on the program carrier. The system is illustrated in a block diagram (Fig.1) where the program carrier in the input block (B7) is a punched disc (Fig.2,b). It is driven by a synchronous motor, and the program can easily be synchronized with the network voltage and repeated. The photoelectric information reader unit (C7, Fig.1) cannot cause disc wear. The third link of the UPU is the decoder (D). The reading head is placed above the rotating punched disc and consists of a set of air-cooled germanium phototriodes, 6.3 v, 0.28 amp light bulbs, and an orifice plate with slits. The perforations in the disc give the program of welding current and pressure; 4-5 rows of perforations are sufficient for current, 1-2 for pressure, and one for start synchronization. Programs can be prepared at industrial plants without complex computing devices. Tables must be prepared by production engineers, and then the discs punched according to the table data in a puncher consisting of two discs with drilled holes. A black paper sheet is put between the discs and punched. The presence of a hole in the carrier means 1, the absence of a hole - 0. Light passing through perforations and falling on a phototriode produces voltage pulses in an electrical circuit. These pulses are fed through an amplifier unit into

Card 2/6

Universal Welding Programmer

S/125/61/000/007/002/013
DO40/D112

the decoder, at whose output a stepped program voltage (Fig.3) is obtained. This voltage can easily be converted by phase shifters into the phase of the ignition angle of thyratrons in the power circuit. The decoder (Fig.4) consists of a row of trigger cells (T_1, T_2, \dots, T_m) with thyratrons passing a current flow $I_{o,fl} = I \cdot 2^n$ current through the resistor R_m . The exponent n is different for each cell and is determined by the formula

$$n = k \frac{U_n}{R_m + R_{thyr}}$$

where U_n is the trigger feed voltage, R_m - resistance in the cathode, R_{thyr} - the thyatron resistance, k - the proportionality factor. The exponent n can be chosen by selecting resistances R_m to pass current I_{fl} , $2I_{fl}$, $4I_{fl}$, $8I_{fl}$, etc. The current through the common resistor (R_o) will be:

Card 3/6

22946

S/125/61/000/007/002/013
D040/D112

Universal Welding Programmer

This resistor adds the trigger cells current, and the voltage drop in it (stepped) is the output of the whole programmer. The punched disc is driven by a synchronous motor, and the phototriode pulses and the output voltage are synchronized accurately with the network, which is important for operation with ignitron interrupters. Multiple repetition of the program for seam welding is possible. A special trigger cell is controlled by a voltage pulse from the start holes on the punched disc and makes it possible to start welding only at a definite moment, regardless of when the operator steps on the control pedal. Pressure on the electrodes in spot welding can be varied by a program recorded on the same program disc. The described universal programmer can work with thyratrons in trigger cells, or with transistors. Conclusions: (1) The developed programmer permits any desired variations of current and pressure; (2) The computing techniques ensure high interference-killing capacity and dependability of the system; (3) Punched program discs may be produced at a center and supplied to the plant; this will result in strict technological discipline, higher precision and stability of program

Card 4/6

22946

S/125/61/000/007/002/013
2040/1112

Universal Welding Programmer

repetitions. There are 6 figures and 3 Soviet-bloc references.

ASSOCIATION: Ordena Trudovogo Krasnogo Znameni Institut elektrosvar'ki im.
Ye.O.Patona AN USSR (Electric Welding Institute "Order of the
Red Banner of Labor" im. Ye.O.Paton AS USSR)

SUBMITTED: March 13, 1961

Card 5/6

Universal Welding Programmer



Fig.1. Block diagram of the universal programmer

B - program input unit; C - reader unit; A - decoder.

22946
S/125/61/000/007/002/013
D040/D112




Fig.3. - Graph $U_{m1} = f(t)$




Fig.2,b. Punched disc.

Card 6/6




Fig.4. - Decoder.

S/125/61/000/005/001/010
D040/D113

AUTHORS: Paton, B.Ye., Gavrish, V.S., and Grodetzkiy, Yu.S.
TITLE: Decatron programmer

PERIODICAL: Avtomaticheskaya svarka, no. 5, 1962, 1-4

TEXT: The programming system for spot and seam resistance welding is an improved version of a universal programmer, previously described by the authors ("Avtomaticheskaya svarka", no. 7, 1961), which had a punched disc, mechanical elements for inserting the program, too many electron tubes and thyatrons, and did not permit immediate repetition of the program. The program carrier in the new system is an immobile punched card, the reader arrangement a set of contacts connecting through the card holes. A -101 (A-101) commutating decatrons accurately scan the program in step with the supply network voltage. The maximum cycle time depends on the number of decatrons used. The decoder comprises a series of transistorized amplifier-limiters, the current from which passes one resistor; the output voltage from the resistor controls the phase shifter. The

Decatron programmer

S/125/02/000/005/001/010
D040/D113

start circuit includes blockings and auxiliary units, and is switchable for spot or seam welding. Programming calculations using tables ("Avtomaticheskaya svarka", no. 7, 1961) are not time-consuming and require no computers. A detailed description of the decatron programmer design and operation principles is given. There are 4 figures. ✓

ASSOCIATION: Ordena Trudovogo Krasnogo Znameni Institut elektrosvarki im. Ye.O. Patona AN USSR (Electric Welding Institute "Order of the Red Banner of Labor" im. Ye.O. Paton, AS UkrSSR)

SUBMITTED: January 19, 1962

Card 2/2

L 12336-63

EWP(k)/EWP(q)/EWT(m)/RDS

AFFTC/ASD

Pf-J

JD/HM

ACCESSION NR: AP3000138

8/0125/63/000/005/0007/0010

AUTHOR: Paton, B. Ye.; Gavrish, V. S.; Grodetskiy, Yu. S.

TITLE: Electronic (inertialess) schemes for automatic control of resistance-welding processes [Report at the Conference on Automatic Welding Control, Kiev, 25 December 1962]

SOURCE: Avtomaticheskaya svarka, no. 5, 1963, 7-10

TOPIC TAGS: electronic welding controller, resistance welding

ABSTRACT: Some well-known ways for attaining a higher speed of welding control are considered. A new welding controller designed on the principle of quenching the ignitrons permits practically inertialess controlling of the welding process. The quenching occurs at the moment when the welding current (or voltage) is equal to the set current (or voltage). The controller is suitable for applications (e.g., radio-tube industry) where the welding-current duration is 0.02-0.01 sec. The controller block diagram is shown in Fig. 2 (see Enclosure 1). With the controller on and a supply voltage of 190 v, the strength of test-welded specimens was 3-5 per cent lower than that at the rated 220 v. Other things being equal, with the controller off, the strength reduction was 30-40 per cent. Orig. art. has: 1 formula and 4 figures.

Card 1/8

Inst. of Electric Welding

PATON, B.Ye.; GAVRICH, V.S.; GRODETSKIY, Yu.S.

Inertialess diagrams for the automatic control of resistance
welding processes. Avtom.svar. 16 no.5:7-10 My '63. (MIRA 16:11)
1. Institut elektrosvarki imeni Ye.O.Patona AN UkrSSR.

L 09430-67 EWT(d)/EWT(m)/EWP(v)/EWP(t)/ETI/EWP(k)/EWP(h)/EWP(1) JD/IM
ACC NR: AP6032407 / SOURCE CODE: UR/0413/66/000/017/0049/0050

INVENTOR: Lebedev, V. K. ; Potap'yevskiy, A. G. ; Podola, N. V. ; Sheyko,
P. P. ; Deyneko, M. P. ; Grodetskiy, Yu. S.

ORG: none

TITLE: Rectifying device for pulsation arc welding. Class 21, No. 185425
[announced by Institute of Electrical Welding Im. Ye. O. Paton (Institut elektro-
svarki)]

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 17,
1966, 40-50

TOPIC TAGS: arc welding, pulse welding, consumable electrode welding,
welding electrode, pulse shaper, transformer, electric capacitor, resistor,
welding rectifier, rectifier

ABSTRACT: An Author Certificate has been issued describing a rectifying device
for consumable-electrode pulsation welding, containing a rectifier with a choke
coil in the rectified current circuit connected in parallel to the rectifying pulse-
shaping unit, powered from the power supply system through a transformer and

Cord 1/3

UDC: 621.314.632:621.791.75